

ANAESTHESIA RECORD



Date (dd/mm/yy): _____
 Anaesthetist: _____
 Nurse: _____
 Surgeon: _____
 Dental Assistant: _____
 Procedure: _____
 Location: _____

Patient Information

Last Name: _____
 First Name: _____
 DOB (dd/mm/yy): _____
 Home Phone: _____
 Companion's Name: _____
 Companion's Phone: _____

Gender: M F

Age: _____

☐ Armband

HxPI

Requested modality ☐ Sedation
☐ General Anesthesia
 Reason: ☐ Anxiety ☐ Dental phobia
☐ Unable to cooperate
☐ Case Complexity

PMHx ☐ Identity confirmed

PSHx

AnaeHx

FHx

Premeds

☐ Ibuprofen _____

Current meds (✓ = taken on schedule)

Allergies

Symptoms

Sensitivities

ROS ☐ Normal ☐ Voided Number of hours since last intake of ____ clear fluids ____ light meal ____ full meal
 Smoker: Y / N Pregnant: Y / N STOP-BANG Score*: N/V Score**: DVT Risk Factor***:

Physical Exam

Ht (cm): Wt (kg): BMI: BP: HR: RR: Sat%: Temp:

Heart:

Lungs:


HEENT/MP:

Other:

Dental:

<u>Permanent teeth</u>															
upper right								upper left							
18	17	16	15	14	13	12	11	21	22	23	24	25	26	27	28
48	47	46	45	44	43	42	41	31	32	33	34	35	36	37	38
lower right								lower left							
■ = missing X = damaged O = crown															

Intubation Assm't:



☐ Easy ☐ Mod Difficult ☐ Difficult

ASA Class: 1 2 3 4 5 E

Investigations ☐ not indicated

Lab:

EKG:

Other:

Discussion

Plan ☐ ane/risks discussed ☐ dental risks disclosed ☐ questions answered ☐ informed consent obtained

☐ GA ☐ iv ind ☐ inh ind ☐ Sedation ☐ ETT ☐ LMA ☐ none

☐ parental presence at induction

☐ Healthy lifestyle counseling provided

Signature

STOP-BANG Score*

Snores loudly
 Tired during daytime Age > 50 yrs
 Observed stopped breathing BMI > 35
 Neck circumference > 40 cm High BP

N/V Score**

Adult:
 Female
 Nonsmoking
 Postop opioids
 Hx PONV
 motion sick
 FHx PONV

Paediatric:
 Procedure > 3 hrs
 Age 3+
 Strabismus
 PONV in patient or 1st degree relative

Caprini score Matrix

Each risk factor = 1 point
 Age 40-59 years
 Minor surgery planned
 BMI ≥ 30kg/m²
 History of prior major surgery (<1 month)
 (Swollen legs (current
 Varicose veins
 Sepsis (<1 month
 Abnormal pulmonary function (COPD)
 Acute myocardial infarction (<1 month
 Congestive heart failure (<1 month
 History of IBD
 Medical patient currently at bed rest

Risk: Low: 0-4 Moderate: 5-8 High: 9 and greater

For women only 1 point each
 Pregnant or post-partum
 History of unexplained or recurrent spontaneous abortion
 Oral contraceptives or hormone replacement therapy

Each risk factor = 2 points
 Age 60 - 74 years
 Arthroscopic surgery
 Major open surgery (> 45 minutes)
 Laparoscopic surgery (> 45 minutes)
 Prior cancer (except (non-melanoma skin cancer
 Present cancer (except breast (and thyroid
 (Confined to bed (>72 hours
 Immobilizing plaster cast
 Central venous access

Each risk factor = 3 points
 Age ≥ 75 years
 History of VTE
 Family history of VTE
 Present chemotherapy
 Positive Factor V Leiden
 Positive Prothrombin 20210A
 Positive Lupus anticoagulant
 Elevated antidiolipin antibodies
 Elevated serum homocysteine
 Heparin-induced thrombocytopenia (HIT)
 Other congenital or acquired thrombophilias

Each risk factor = 5 points
 Major surgery lasting > 6 hours
 (Stroke (<1 month
 Elective major lower extremity arthroplasty
 Hip, pelvis, leg fracture (<1 month
 Acute spinal cord fracture (or paralysis (<1 month
 Multiple traumas (<1 month)

Patient Name:

Date:

Airway

☐ Nasal Prongs ☐ Xylometazolin (Otrivin) ☐ Lidocaine gel ☐ Lidocaine Spray ☐ Lubricant gel


☐ Oral ☐ Nasal ☐ R ☐ L ☐ Other: _____

☐ Laryngeal Mask size _____

Endotracheal ☐ Oral ☐ Nasal ☐ R ☐ L ☐ Magill Blade size: _____ ☐ Videolaryngoscope
ETT ☐ cuffed ☐ cuff inflated ☐ cuff deflated ☐ Endotracheal Tube warmed ☐ uncuffed details: _____
Tube type: _____ Tube Size: _____ ☐ cuff leak <20cm H₂O ☐ throat pack

☐ Cricoid Pressure

Larynx grade:



Intubation: ☐ Easy ☐ Laryngospasm ☐ Other

Fluid Balance (mL's)

Fluid In: N/S: _____
R/L: _____
Other: _____

Fluids Out: EBL: _____
Urine: _____
Other: _____

Total In: _____

Total Out: _____ Fluid Balance: _____

Intraoperative Events ☐ uneventful case ETT or LMA removed in ☐ OR ☐ PACU ☐ awake ☐ deep
☐ oral cavity inspected for foreign materials

To PACU via ☐ carried ☐ stretcher ☐ wheelchair ☐ walks ☐ recovery in OR

In PACU placed ☐ sitting ☐ supine ☐ laterally ☐ breathing well ☐ stable ☐ report to RN

PACU Admission Arrival Time in PACU: _____ Nurse: _____

BP: _____ P: _____ RESP: _____ ☐ ETCO₂ _____ O₂ SAT%: _____ Temp: _____ Neuro: ☐ asleep
☐ arousable
☐ awake
☐ comfortable
other: _____

PACU Orders 1) O₂ via FM 50% prn if Sat ≤92%
2) iv at _____ ml/hr, d/c iv when pt. awake and well
3) pain and PONV Rx per protocol
4) discharge pt. per protocol when criteria are met
5) give and explain post-anesthesia information sheet
6) d/c nasal cotton roll on R/L
7) reinforce healthy life style counseling
8) Vitals q5 min for the first 3 then q15 min until discharge (baseline vitals from preop or first anesthesia vitals if not available)

Signature: _____

Date: _____

Date:

[illegible]

Aldrete Score	arrival	30 min
1. <u>Activity</u> -moves 4 extremities on command (2) -moves 2 extremities on command (1) -moves no extremities (0)		
2. <u>Respiration</u> -breathes deeply and coughs (2) -limited breathing (1) -apneic (0)		
3. <u>Consciousness</u> -fully awake (2) -arousable on calling (1) -not responsive (0)		
4. <u>Circulation</u> -BP within +/-20% of baseline (2) -BP within +/-30-50% of baseline (1) -BP within +/-50% of baseline (0)		
5. <u>O₂ Sat</u> - has sat >92% on room air (2) - needs O ₂ to keep O ₂ Sat >90% (1) - sat <90% even with O ₂ (0)		
TOTAL		

DISCHARGE CRITERIA SCORE		circle appropriate level
Vital signs	Within 20% of pre-op baseline	2
	20-40% of pre-op baseline	1
	40% of pre-op baseline	0
Activity	Steady, no dizziness, as pre-op	2
	Requires assistance	1
	Unable to ambulate	0
PONV	Minimal	2
	Moderate	1
	Severe	0
Pain	Minimal or no pain	2
	Moderate	1
	Severe	0
Bleeding	Minimal	2
	Moderate	1
	Severe	0
Total		_____
Time Discharge Criteria met: _____		

Medications given:

If pediatric (<18 y/o)	0	1	2	3	4
1. Eye contact?	Extremely	Very much	Quite a bit	A little	Not at all
2. Action purposeful?	Extremely	Very much	Quite a bit	A little	Not at all
3. Aware of surroundings?	Extremely	Very much	Quite a bit	A little	Not at all
4. Restless?	Not at all	A little	Quite a bit	Very much	Extremely
5. Inconsolable?	Not at all	A little	Quite a bit	Very much	Extremely
				TOTAL DELIRIUM SCORE	

- Vomiting?** ☐ yes ☐ no

Signature MD:

Signature:

